



NOT TO SCALE  
FOLLOW DIMENSIONS

**PAVEMENT**

- 4" ASPHALTIC CONCRETE (TYPE 2)
- 4" UNTREATED COMPACTED AGGREGATE.
- 6" COMPACTED SUBGRADE.

**SHOULDER**

- UNIMPROVED STREET SEAL WITH AN APPLICATION RATE OF 0.30 GAL./SQ. YD. AND COATED WITH COVER AGGREGATE AT THE APPLICATION RATE OF 24 LB./SQ. YD.
- 8" UNTREATED COMPACTED AGGREGATE.
- 6" COMPACTED SUBGRADE.

**NOTES**

- A. CONSTRUCTION TO CONFORM WITH THE "STANDARD SPECIFICATIONS AND DESIGN CRITERIA" DIVISION II, CONSTRUCTION AND MATERIAL SPECIFICATIONS.
- B. THIS STANDARD NOT APPLICABLE IN NEW DEVELOPMENTS
- C. MAINTAIN 1'-0" MINIMUM COVER OVER DRIVEWAY CULVERTS.

<p><u>APPROVED</u></p>  <p>_____ CITY ENGINEER</p>  <p>_____ DATE</p>	<p><u>ADOPTED</u></p>  <p>_____ DIRECTOR OF PUBLIC WORKS</p> <p style="text-align: right;">DATE</p>  <p>ENTRY NUMBER _____</p>	<p>KANSAS CITY, MISSOURI PUBLIC WORKS DEPT. ENGINEERING DIVISION</p>  <p><b>LOCAL STREET</b> PHASE I CONSTRUCTION</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: small;">DRAWN BY</td> <td style="font-size: small;">DCR</td> <td style="font-size: small;">12-82</td> <td rowspan="2" style="font-size: large; vertical-align: middle;"><b>ST-L2</b></td> </tr> <tr> <td style="font-size: small;">CHECKED BY</td> <td style="font-size: small;">R.N.</td> <td style="font-size: small;">1-83</td> </tr> </table>	DRAWN BY	DCR	12-82	<b>ST-L2</b>	CHECKED BY	R.N.	1-83
DRAWN BY	DCR	12-82	<b>ST-L2</b>						
CHECKED BY	R.N.	1-83							